

Notice

Water Act 2000

Notice of approval of UWIR or final report

This statutory notice is issued by the chief executive¹ pursuant to section 385(4) of the Water Act 2000 to advise you of the decision to approve your underground water impact report

Vintage Energy Ltd
58 King William Road,
Goodwood SA 5034

Your reference : Vali Gas Field Underground Water Impact Report
Our reference : PL1125

Attention: Claire Dowling claire.dowling@vintageenergy.com.au ; Mike Dodd michael.dodd@vintageenergy.com.au

Dear Madam and Sir

Re: Notice of approval of underground water impact report (UWIR)

The chief executive received the UWIR described below.

1. Report details

Date UWIR received: 17 October 2025

In relation to: PL1125

2. Decision

The chief executive has approved the UWIR with conditions. The approved report takes effect on 23 January 2026.
Please find attached the conditions of approval (Attachment A).

3. Public notice

As per section 386 of the *Water Act 2000*, within 10 business days after receiving this notice of approval, you must:

- publish a notice about the approval on your website that states that copies of the approved report may be obtained from you and how the copies may be obtained; and
- give a copy of this notice of approval to each bore owner of a water bore within the area to which the report relates.

Within 15 business days after receiving this notice of approval, you must advise the chief executive that you have complied with the requirements outlined above.

4. Penalties

Under section 386(1) of the *Water Act 2000*, failure to comply with this direction notice is an offence.

¹ The Department of the Environment, Tourism, Science and Innovation is the chief executive for Chapter 3 of the *Water Act 2000*.

Notice

Notice of approval of UWIR or final report

- A maximum penalty for a corporation is 250 penalty units, totalling \$41,725.00

5. Human rights

A human rights assessment was carried out in relation to this decision, and it was determined that no human rights are engaged by the decision.

Should you have any questions about the notice, please contact Camilla Scott, Principal Environmental Officer, using the details provided below.



Signature

23/1/2026

Date

Tristan Roberts

Department of the Environment, Tourism, Science and Innovation
Delegate of the chief executive
Water Act 2000

Enquiries:

Energy and Extractive Resources
Business Centre
GPO Box 2454, Brisbane QLD 4001
Phone: 3330 5715
Email:
Undergroundwater@detsi.qld.gov.au

1.1 Attachments

Attachment A - Conditions of approval

Annual Review

1. The responsible entity must submit to the chief executive a summary of the annual review required under section 376(e)(ii) of the Water Act 2000, within 20 business days after each anniversary day, or another date agreed to in writing by the chief executive. The annual review must provide an analysis and a statement of whether there has been a material change in the information or predictions used to determine the areas included in the UWIR in accordance with sections 376(1)(b)(iv) and (v) of the Water Act 2000.

Monitoring

2. All monitoring required of the responsible entity under the UWIR must be undertaken by a suitably qualified person.
3. All laboratory analyses and tests of monitoring undertaken under the UWIR must be carried out by a laboratory that has NATA accreditation for such analyses and tests.
4. Notwithstanding condition (3), where there are no laboratories that have NATA accreditation for a specific analyte or substance, then duplicate samples must be sent to at least two separate laboratories for independent testing or evaluation.
5. The methods of groundwater sampling required by the UWIR must comply with the latest edition of the Queensland Monitoring and Sampling Manual, AS/NZS 5667:11 1998 Water Sampling Guidelines – Part 11 Guidance on sampling groundwater, and the Australian Government's Groundwater Sampling and Analysis—A Field Guide (2009:27 GeoCat #6890.1) as relevant as may change from time to time.

Obligations

6. By 22 July 2026, the responsible entity must compile a register, in a format specified by the administering authority, that includes all obligations of the responsible entity stipulated in the UWIR.
7. At all times, the register in condition (6) must be maintained with the status of current progress on each of the obligations listed in the register.
8. The register in conditions (6) & (7) must be:
 - (a) provided to the administering authority upon request, within the timeframe specified in the request; and
 - (b) updated as requested by administering authority, within the timeframe specified in the request.
9. The annual review submitted in accordance with condition (1) must identify any non-compliances with the obligations specified in condition (6).

Definitions

Administering authority means the Department of the Environment, Tourism, Science and Innovation, or its predecessors or successors.

Anniversary day means each anniversary of the day the first UWIR took effect – 23 January.

Chief executive means the Director-General of the department responsible for administering Chapter 3 of the *Water Act 2000* or the persons delegated the powers of the chief executive as stated in the Water Act (DESI Chief Executive) Delegation (No 1) 2021 or subsequent versions.

NATA accreditation means accreditation by the National Association of Testing Authorities Australia.

Responsible entity means Vintage Energy Pty Ltd in accordance with section 368 of the *Water Act 2000*.

Suitably qualified person means a person who has professional qualifications, training, skills or experience relevant to the nominated subject matter and can give authoritative assessment, advice and analysis to performance relative to the subject matter using the relevant protocols, standards, methods or literature.

UWIR means the underground water impact report prepared by Vintage Energy Pty Ltd for PL1125 dated 17 October 2025.